

Marshall, Vanessa

From: Maxwell, Grady
Sent: Thursday, April 13, 2017 10:18 AM
To: Bachman, Brenda; Shephard, Burt; Anderson-Carnahan, Linda
Cc: Pepich, Barry; Dodo, Gerald
Subject: RE: Discovery Bay DRAFT HASP for review

Brenda,

I've reviewed the HASP submitted for Burt.

A float plan needs to be included since the sampling will occur on water, there is no mention of personal floatation devices or water safety while onboard the boat.

In addition, I have included below the appropriate emergency contacts and their numbers.

-EPA Health and Safety Staff:
Grady Maxwell 206-553-0241 or 206-399-9394(cell)

-Occupational Health Physicians:
Dr. Christopher Holland 301-594-0272
Cynthia Sharon, BSN, RN, COHC 301-492-4507

If questions or further assistance, please contact me at 3-0241.

Thanks,

Grady

From: Bachman, Brenda
Sent: Thursday, April 06, 2017 3:56 PM
To: Maxwell, Grady ; Shephard, Burt ; Anderson-Carnahan, Linda
Cc: Pepich, Barry ; Dodo, Gerald
Subject: Discovery Bay DRAFT HASP for review

Grady,
Please respond to ALL above with your review. I will be out of the office until April 17 and others may need to address your changes. Note that there are yellow highlights where uncertainties still exist.

Burt, please determine where you will collect water from and whether or not a boat is needed. In addition, a field sampling plan needs to be drafted to describe how the samples will be collected unless all of that information is included in the QAPP.

Regards, Brenda

Unit Manager, Risk Evaluation Unit
Office of Environmental Review and Assessment
U.S. EPA

1200 Sixth Ave, Seattle WA, 98101

Office 206-553-1868

Mobile 206-637-2645